

# Colonoscopy Preparation Instructions: Golytely Gallon

**The GI lab will contact you 1-3 days prior to your procedure with an exact check in time.**

<b>M T W TH F</b>	<b>Procedure Date:</b> _____	For any scheduling concerns please call 801-387-5620, option 1, then option 1.
<b>Provider:</b>	<b>Location:</b>	
Dr Eric Eliason	<b>ASC McKay Dee Endoscopy Center</b>	
Dr Kyle Eliason	3903 Medical Drive, STE 400 Ogden, Utah 84403	
Dr Luke Townsend	<b>McKay Dee Hospital</b>	
Dr Taylor Frost	4401 Harrison Blvd, Ogden, UT 84403	
Dr. John Morris	<b>Layton Hospital</b>	
	201 W Layton Parkway Layton, Utah 84041	

**No shows, late cancellations or rescheduling within 5 days, may be charged a no-show fee.**

## What do I need to do to get ready?

You will need all of the following items. They can be found at most grocery or drug stores in the laxative section.

- Pick up your GoLytely Bowel prep from your pharmacy
- Four simethicone (Gas-X) chewable tablets or soft-gels
- 1-Bottle, 10 oz liquid of Magnesium Citrate.

## You will need to follow a clear liquid diet.

**Clear liquids include the following:**

- Water or glucose water
- Fruit juices without pulp (such as apple juice)
- Carbonated soft drinks
- Sports drinks (WITHOUT protein)
- Clear tea, black coffee (No creamer)
- Bullion or beef, chicken or bone broth
- Jell-O
- Slurpee's
- **NO Alcohol, orange juice, yogurt, milk or creamer, smoothies**
- **No Red or purple colors**

**Please follow all instructions carefully**

**3 days before your exam**

- **Pick up your GOLYTELY bowel prep from your pharmacy**
- **Stop eating the following:** nuts, seeds, whole wheat bread, beans, corn, raw vegetables, or fruits with seeds or skin.
- **Discontinue any blood thinners, (with physician approval) this includes:**
  - Coumadin (Warfarin)      -Apixaban (Eliquis)
  - Clopidigrel (Plavix)      -Dabigatran (Pradaxa)
  - Prasugrel (Effient)      - Rivaroxaban (Xarelto)as well as any nonprescription blood thinners, Aspirin, Ibuprofen, or any type of NSAIDS.
- **Don't take any Iron supplements.** They can make it harder to get a successful prep.

**1 day before your exam**

- **Start the clear liquids diet.** They include apple juice; water; Sprite; Jell-O; coffee or tea (no creamer); clear chicken, beef or vegetable broth; clear sports drinks, or Crystal Light. **Avoid anything that contains red or purple dye.**
- **Using your Gallon prep kit,** add water to the fill mark on the jug, shake well and refrigerate.
- **At 12:00 (noon):** Drink the full 10 oz bottle of Magnesium Citrate.
- **At 5:00 pm:**
- **Take 2 of the Simethicone (Gas X) Tablets**
- Drink half of your gallon mixture. It is recommended to drink 8 oz. every 10-15 min until ½ the solution is gone. This needs to be done within 2 hours of when you begin drinking.
- Refrigerate the remaining ½ gallon of the prep until the day of procedure
- If you become nauseated during the prep, you may stop for one hour before resuming.

**On the day of your exam**

- **6 hours prior to your procedure:** Take 2 Simethicone (Gas X) tablets and consume the remaining ½ gallon mixture within a 2-hour period.
- **Discontinue any clear liquids 2 hours** prior to your procedure check in time.
- You may take any necessary Blood pressure, heart, Parkinson's and/or seizure medications with a small sip of water up to 3 hours prior to your procedure.

## What should I bring to my appointment?

- Bring the following items with you:
  - Your insurance card and photo ID
  - Any completed forms, if assigned
  - Your glasses, hearing aids, and inhaler, if you use one
  - A current list of all medications you are taking and the dosages. Include all prescriptions, over-the-counter medicines, patches, inhalers, injections, herbal remedies, and vitamin supplements.
- Leave your valuables at home. This includes all jewelry (including wedding rings) and tongue piercings.
- Wear comfortable clothing that is easy to take on and off.

If you are a female of child-bearing age, you may be asked to provide a urine sample to check for pregnancy. If you are pregnant, talk with your provider about whether you need this procedure.

## How do I know if my prep was successful?

You will know that your prep was successful if your bowel movements are watery and clear like urine (pee). If they continue to be brown or they still contain solid matter within 2 hours before your appointment, call the clinic.



Dark and murky  
**NOT OK**



Brown and murky  
**NOT OK**



Dark orange and semi-clear  
**NOT OK**



Light orange and clear  
**ALMOST THERE**



Yellow and clear  
**YOU ARE READY**

### Helpful Information:

- The GI lab will reach out 1-3 days prior to your procedure with an exact check in time.
- If you are diabetic, please contact your Primary Doctor or Endocrinologist for medication/insulin instructions while taking your prep, and to advise you of any diabetic medications that you would need to take the day of your procedure.
- Please arrange to have a responsible person drive you to and from your exam. You will not be allowed to use any rideshare services (Uber/Lyft).
- Expect your appointment time to last 2-3 hours

Intermountain Health complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. Se proveen servicios de interpretación gratis. Hable con un empleado para solicitarlo. 我們將根據您的需求提供免費的口譯服務。請找尋工作人員協助。

© 2023 Intermountain Health. All rights reserved. The content presented here is for your information only. It is not a substitute for professional medical advice, and it should not be used to diagnose or treat a health problem or disease. Please consult your healthcare provider if you have any questions or concerns. More health information is available at [intermountainhealthcare.org](http://intermountainhealthcare.org). FS736 - 09/23 (Last reviewed - 09/23) Also available in Spanish.

### When is a colonoscopy considered a “Screening Colonoscopy”?

Generally, there are two reasons a colonoscopy is considered a “screening colonoscopy”:

- Patient’s first colonoscopy is performed at the age of 45 or older and the patient presents with the absence of symptoms. **Patient has zero GI complaints/issues/symptoms.**
- Most recent colonoscopy had no abnormal findings, no biopsy (the removal and examination of tissue) was performed, and the recommended time interval has been met.
- Typically, the standard time interval is 10 years. Some payers (Select Health, DMBA) reimburse for a screening colonoscopy every 5 years. Please check your individual insurance policy.

### When is a colonoscopy considered a “Diagnostic Colonoscopy” instead of a “Screening Colonoscopy”?

There are three reasons a colonoscopy is considered a “diagnostic colonoscopy”:

- Patient’s first colonoscopy is performed under the age of 45, typically the presenting problem is a condition that needs to be treated.
- Most recent colonoscopy had abnormal findings or required a biopsy  
- *Once a polyp (growth) is found and biopsied/removed in a previous colonoscopy, subsequent colonoscopies are no longer “screening”.*
- If a doctor recommends a colonoscopy due to a medical condition such as diarrhea, constipation, abdominal pain, blood in stools (blood when wiping), excessive gas/bloating, or any other abnormal gastrointestinal condition.
- **A diagnostic colonoscopy may result in a balance owed by the patient. Diagnostic colonoscopies cannot be inaccurately changed to “screening” for coverage purposes.**

### Frequently asked questions:

**1- Does this mean if I come in at age 45 for my initial “screening colonoscopy” and the doctor has to remove something found and sends it to pathology, that my colonoscopy will no longer be considered “screening”?**

**No** If you are age 45 and this is your first colonoscopy, it will be considered a “screening colonoscopy”, no matter the findings. If your doctor finds something abnormal, you will be scheduled for a follow-up diagnostic colonoscopy in three to five years (depending on the pathology results).

**2- If something is found/biopsied on the follow up colonoscopy, will I ever be billed for a “screening colonoscopy” again?**

**Maybe** If something is found/biopsied on any colonoscopy, depending on the payer policy, the next colonoscopy may be considered a “diagnostic colonoscopy” because we will be following up on a “diagnosis”. Some payers that follow this rule: Select Health, United Health Care, Blue Cross, DMBA

If/when you have a colonoscopy that comes back normal with nothing to biopsy, your next routine colonoscopy will be considered a “screening colonoscopy,” as long as the recommended time interval (5 or 10 years) has been met. For more specific guidance please contact your insurance carrier.

**3- Can I ask the doctor to not take any biopsies if he finds something, or can the doctor simply not document biopsies were performed, so my colonoscopy will be billed as “screening”?**

**No** If something is found, the next colonoscopy will still be a diagnostic colonoscopy whether the biopsy is done or not. Your doctor may not ignore findings and should be given permission to remove anything suspicious to provide the best medical treatment for you. Your doctor is required to report his or her care and treatment as accurately as possible. The medical standard of care does not permit a doctor to withhold information.

**4- Can the doctor change his notes on my procedure and re-submit the billing to my insurance?**

**Maybe** Your doctor’s notes are an important part of your medical care. If there is an error in the notes, the notes can be amended. Otherwise, the notes cannot be changed. Changing documentation after a claim has been submitted to a payer is considered fraudulent.

**5- Can you change the coding so my insurance company will cover the procedure?**

**No** Accurate coding is essential. Medical codes enable doctors to efficiently communicate with payers the medically necessary services that you were provided. Only the precise code should be used, as entering incorrect codes poses a risk to the provider and may result in legal repercussions.