



Hospital Care and Rehabilitation for Adult Stroke and TIA Patients

- AHA1 American Heart Association. Get with the Guidelines: Stroke [website]. https://www.heart.org/HEARTORG/Professional/GetWithTheGuidelines/Get-With-The-Guidelines-Stroke_UCM_306098_SubHomePage.jsp. Accessed January 30, 2017.
- AHA2 American Heart Association/American Stroke Association. Understanding Diagnosis and Treatment of Cryptogenic Stroke: A Healthcare Professional Guide. 2015. Available at: <http://ksw-gtg.com/cryptogenic/guide/#/24/>. Accessed on January 31, 2017.
- ALB Alberts MJ, Latchaw RE, Jagoda A, et al; Brain Attack Coalition. Revised and updated recommendations for the establishment of primary stroke centers: A summary statement from the brain attack coalition. *Stroke*. 2011;42(9):2651-2665. Accessed March 22, 2016
- AMA1 Amarenco P, Bogousslavsky J, Callahan A, et al. High-dose atorvastatin after stroke or transient ischemic attack. *N Engl J Med*. 2006;355(6):549-559.
- AMA2 Amarenco P, Goldstein LB, Messig M, et al. Relative and cumulative effects of lipid and blood pressure control in the stroke prevention by aggressive reduction in cholesterol levels (SPARCL) trial. *Stroke*. 2009;40:2486-2492.
- AVER AVERT Trial Collaboration Group, Bernhardt J, Langhorne P, Lindley RI, et al. Efficacy and safety of very early mobilisation within 24 h of stroke onset (AVERT): A randomised controlled trial [published correction appears in *Lancet*. 2015;386:30]. *Lancet*. 2015;386:46-55.
- BAN Banks JL, Marotta CA. Outcomes validity and reliability of the Modified Rankin Scale: Implementation for stroke clinical trials. *Stroke*. 2007;38:1091-1096.
- BIL Billinger SA, Arena R, Bernhards J, et al. Physical activity and exercise recommendations for stroke survivors: A statement for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 2014;45:2532-2553.
- BUS Bushnell C, McCullough LD, Awad IA, et al. Guidelines for the prevention of stroke in women: A statement for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 2014 May;45(5):1545-1588.
- CAD CADISS Trial Investigators. Antiplatelet treatment compared with anticoagulation treatment for cervical artery dissection (CADISS): A randomised trial. *Lancet Neurol*. 2015;14(4):361-367.
- CAR Carroll JD, Saver JL, Thaler DE, et al. Closure of PFO versus medical therapy after cryptogenic stroke. *N Engl J Med*. 2013;368(12):1092-1100.
- CARE Carey MA, Humphrey JL, Carnaby-Mann G, Sambandam R, Miller L, Silliman S. Dysphagia, nutrition, and hydration in ischemic stroke patients at admission and discharge from acute care. *Dysphagia*. 2013;28(1):69-76.
- CHE Chen MD, Rimmer JH. Effects of exercise on quality of life in stroke survivors: A meta-analysis. *Stroke*. 2011;42:832-837.
- CHO Chollet F, Tardy J, Albucher JF, et al. Fluoxetine for motor recovery after acute ischaemic stroke (FLAME): A randomised placebo-controlled trial. *Lancet Neurol*. 2011;10(2):123-130.
- CHOI Choi-Kwon S, Yang YH, Kim EK, Jeon MY, Kim JS. Nutritional status in acute stroke: Undernutrition versus overnutrition in different stroke subtypes. *Acta Neurol Scand*. 1998;98:187-192.
- CMS1 Department of Health and Human Services, Centers for Medicare and Medicaid Services. *Medicare Benefit Policy Manual (Rev. 189, 06-27-14)*. In Chapter 1: Inpatient Hospital Services Covered Under Part A, 110.2-110.3. Available at <https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Downloads/bp102c01.pdf>. Accessed December 20, 2016.
- CMS2 Center for Medicare and Medicaid Services, Department of Health and Human Services. Skilled nursing facility (SNF) billing reference. Available at <https://www.cms.gov/Outreach-and-Education/Medicare-Learning-Network-MLN/MLNProducts/downloads/snfspellillnesschrt.pdf>. Accessed March 18, 2016.
- CMS3 Center for Medicare and Medicaid Services, Department of Health and Human Services. Medicare program: Comprehensive care for joint replacement payment model for acute care hospitals furnishing lower extremity joint replacement services. Available at <http://www.regulations.gov#!documentDetail;D=CMS-2015-0082-0395>. Accessed March 18, 2016.
- DAN Daniels SK, Anderson JA, Willson PC. Valid items for screening dysphagia risk in patients with stroke. *Stroke*. 2012;43:892-897.
- DAV Dávalos A, Ricart W, Gonzalez-Huiz F, et al. Effect of malnutrition after acute stroke on clinical outcome. *Stroke*. 1996;27:1028-1032.
- ENG Engelter ST, Brandt T, Dèbette S, et al. Antiplatelets versus anticoagulation in cervical artery dissection. *Stroke*. 2007;38(9):2605-2611.
- FER Ferrarello F, Baccini M, Rinaldi LA, et al. Efficacy of physiotherapy interventions late after stroke: A meta-analysis. *J Neurol Neurosurg Psychiatry*. 2011;82:136-143.
- FUR Furlan AJ, Reisman M, Massaro J, et al. Closure or medical therapy for cryptogenic stroke with PFO. *N Engl J Med*. 2012;366(11):991.
- GAR Gariballa SE, Parker SG, Taub N, Castleden C. Influence of nutritional status on clinical outcome after acute stroke. *Am J Clin Nutr*. 1998;68:275-81. 619.
- GEL Gelenberg AJ, Freeman MP, Markowitz JC, et al. Practice guideline for the treatment of patients with major depressive disorder. *Psychiatry Online*. [Internet]. 2010 Oct [cited 2016 Feb 24]. Available from: http://psychiatryonline.org/pb/assets/raw/sitewide/practice_guidelines/guidelines/mdd.pdf.
- GLA Gladstone DJ, Spring M, Dorian P, et al. Atrial fibrillation in patients with cryptogenic stroke. *N Engl J Med*. 2014;370:2467-2477.
- GOA Go AS, Mozaffarian D, Roger VL, et al. Executive summary: Heart disease and stroke statistics — 2014 update: A report from the American Heart Association. *Circulation*. 2014;129(3):399-410.
- GOR Gordon J. *A top-down model for neurologic rehabilitation*. Presentation at the III STEP Symposium on Translating Evidence Into Practice: Linking Movement Science and Intervention; July 15–21, 2005; Salt Lake City, Utah.
- HAC1 Hackett ML, Anderson CS, House A, Xia J. Interventions for treating depression after stroke. *Cochrane Database Syst Rev*. 2008 Oct 8;(4):CD003437.
- HAC2 Hackman DG, Spence JE. Combining multiple approaches for the secondary prevention of vascular events after stroke: A quantitative modeling study. *Stroke*. 2007;38:1881-1885.

- HAR Hart RG, Diener H, Coutts SB, et al. Embolic strokes of undetermined source: The case for a new clinical construct. *Lancet Neurology*. 2014;13(4):429-438.
- HEM Hemphill JC, Greenbert SM, Anderson CS, Becker K, Bendok BR, et al. Guidelines for management of spontaneous intracerebral hemorrhage: A guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*. 2015;46:2032-2060.
- JAU Jausch EC, Saver JL, Adams HP Jr, et al. Guidelines for the early management of patients with acute ischemic stroke: A guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*. 2013;44:870-947.
- JOH Johnson KG, Johnson DC. Frequency of sleep apnea in stroke and TIA patients: A meta-analysis. *Journal of Clinical Sleep Medicine*. 2010;6(2):131-137.
- JOI Advanced certification for Primary Stroke Centers. The Joint Commission [website]. http://www.jointcommission.org/certification/primary_stroke_centers.aspx. Accessed February 3, 2017.
- KER Kernan WN, Ovbiagele B, Black HR, et al. Guidelines for the prevention of stroke in patients with stroke and transient ischemic attack: A guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*. 2014;45:2160-2236.
- KHA Khalid I, Doshi P, DiGiovine B. Early enteral nutrition and outcomes of critically ill patients treated with vasopressors and mechanical ventilation. *Am J Crit Care*. 2010;19(3):261-268.
- KIM Kim JS. Post-stroke mood and emotional disturbances: Pharmacological therapy based on mechanisms. *Journal of Stroke*. 2016;18(3):244-255.
- LEX *Lexicomp Online* [Internet]. Wolters Kluwer [cited 2016 Feb 24]. Available from: <http://nv-ezproxy.roseman.edu:2075/lco/action/home/switch?siteid=975>. Registration and login required.
- LUK Luker J, Lynch E, Bernhardtsson S, Bennet L, Bernhardt J. Stroke survivors' experiences of physical rehabilitation: A systematic review of qualitative studies. *Archives of Physical Medicine and Rehabilitation*. 2015;96:1698-1708.
- LYR Lyrer P, Engelter S. Antithrombotic drugs for carotid artery dissection. *Cochrane Database System Review*. 2010;10:CD000255.
- MAG Magdon-Ismail Z, Sicklick A, Hedeman R, Pettger JP, Stein J. Selection of postacute stroke rehabilitation facilities: A survey of discharge planners from the Northeast Cerebrovascular Consortium (NECC) region. *Medicine*. 2016;95(16):e3206-3211.
- MAK Maki BE, Holliday PJ, Topper AK. A prospective study of postural balance and risk of falling in an ambulatory and independent elderly population. *J Gerontol*. 1994;49:M72-M84.
- MAR Martino R, Foley N, Bhogal S, Diamant N, Speechley M, Teasell R. Dysphagia after stroke: Incidence, diagnosis, and pulmonary complications. *Stroke*. 2005;36:2756-2763.
- MEI Meier B, Kalesan, B, Mattle, HP, et al. Percutaneous closure of PFO in cryptogenic embolism. *N Eng J Med*. 2013;368(12):1083-1091.
- MES Meschia JF, Bushnell C, Boden-Albala B, et al. Guidelines for the primary prevention of stroke: A statement for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*. 2014;45(12):3754-3832.
- MIL Miller EL, Murray L, Richards L, et al. Comprehensive overview of nursing and interdisciplinary rehabilitation care of the stroke patient: A scientific statement from the American Heart Association. *Stroke*. 2010;41:2402-2448.
- MIT Mitchell PH. State-of-the-science nursing review: Nursing assessment of depression in stroke survivors. *Stroke*. 2015;47(1):e1-e3.
- MOG Meghissi ES, Korytkowski MT, DiNardo M, Einhorn D, et al. American Association of Clinical Endocrinologists and American Diabetes Association consensus statement on inpatient glycemic control. *Diabetes Care*. 2009;32(6):1119-1131.
- MOZ Mozzaffarian D, Benjamin EJ, Go AS, et al. Heart disease and stroke statistics — 2016 update: A report from the American Heart Association. *Circulation*. 2015;CIR.0000000000000350.
- NIND The National Institute of Neurological Disorders and Stroke rt-PA Stroke Study Group. Tissue plasminogen activator for acute ischemic stroke. *N Eng J Med*. 1995;333:1581-1588.
- OVV Ovbiagele B, Goldstein LB, Higashida RT, et al. Forecasting the future of stroke in the United States: A policy statement from the American Heart Association and American Stroke Association. *Stroke*. 2013;44:2361-2375.
- PII Piironen K, Putaala J, Rosso C, Samson Y. Glucose and acute stroke: Evidence for an interlude. *Stroke*. 2012;43:898-902.
- REL Rellolio MF, Gilmore RM, Stead LG. Insulin for glycemic control in acute ischemic stroke. *Stroke*. 2012;43:e29.
- ROG Roger VI, Go AS, Lloyd-Jones DM, et al; the American Heart Association Statistics Committee and Stroke Statistics Subcommittee. Heart disease and stroke statistics — 2012 update: A report from the American Heart Association. *Circulation*. 2012;125:e12-e230.
- SAL Salinas J, Sprinkhuizen SM, Ackerson T, et al. An international standard set of patient-centered outcome measures after stroke. *Stroke*. 2016;47:180-186.
- SAN Sanna T, Diener H, Passman RS, et al. Cryptogenic stroke and underlying atrial fibrillation. *N Eng J Med*. 2014;370:2478-2486.
- SMI Smith EE, Saver JL, Alexander DN, et al. Clinical performance measures for adults hospitalized with acute ischemic stroke: Performance measures for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*. 2014;45:3472-3498.
- STO Stone NJ, Robinson JG, Lichtenstein AH, et al. 2013 ACC/AHA guideline on the treatment of blood cholesterol to reduce atherosclerotic cardiovascular risk in adults: A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *Circulation*. 2014;129[suppl 2]:S1-S45.
- SUM Summers D, Leonard A, Wentworth D, et al; American Heart Association Council on Cardiovascular Nursing and the Stroke Council. Comprehensive overview of nursing and interdisciplinary care of the acute ischemic stroke patient: A scientific statement from the American Heart Association. *Stroke*. 2009;40(8):2911-2944.
- TEA Teasell R, Mehta S, Pereira S, et al. Time to rethink long-term rehabilitation management of stroke patients. *Top Stroke Rehabil*. 2012;19:457-462.
- TOP Topper AK, Maki BE, Holliday PJ. Are activity-based assessments of balance and gait in the elderly predictive of risk of falling and/or type of fall? *J Am Geriatr Soc*. 1993;41:479-487.
- TOW Towfighi A, Ovbiagele B, El Hussein N, et al. Poststroke depression: A scientific statement for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*. 2017;48:e30-e43.
- WIN Winstein CJ, Stein J, Arena R, et al. Guidelines for adult stroke rehabilitation and recovery: A guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*. 2016;May 4:[Epub ahead of print].
- WOL Wolpaw JR, Carp JS. Plasticity from muscle to brain. *Prog. Neurobiol*. 2006;78(3-5):3233-3263.