



A Primary Care Guide to Lifestyle and Weight Management: Research References

- ACA Office of the Legislative Counsel. Compilation of Patient Protection and Affordable Care Act. <http://housedocs.house.gov/energycommerce/npacacon.pdf>. Published May 2010. Accessed June 6, 2013.
- ADA Seagle HM, Strain GW, Makris A, Reeves RS; American Dietetic Association. Position of the American Dietetic Association: weight management. *J Am Diet Assoc.* 2009;109(2):330-346.
- ADM Adams TD, Davidson LE, Litwin, SE. Health benefits of gastric bypass surgery after 6 years. *JAMA.* 2012;308(11):1122-1131.
- ALL Allison DB, Newcomer JW, Dunn AL, et al. Obesity among those with mental disorders: a National Institute of Mental Health meeting report. *Am J Prev Med.* 2009;36(4):341-350.
- AMA1 American Medical Association. AMA Healthier Life Steps™: Coding for Routine Adult Lifestyle Screening, Early Intervention, and Motivational Interviewing. *CPT Assistant.* 2009;19(2):1-7. <http://www.ama-assn.org/ama1/pub/upload/mm/433/cpt-assistant.pdf>. Accessed June 6, 2013.
- AMA2 American Medical Association. New CPT Modifier for Preventive Services. *CPT Assistant.* 2010;20(12):1-6. <http://www.ama-assn.org/resources/doc/cpt/new-cpt-modifier-for-preventive-services.pdf>. Accessed June 6, 2013.
- AND Academy of Nutrition and Dietetics. Adult Weight Management Evidence-Based Nutrition Practice Guideline. <http://andevideocelibrary.com/topic.cfm?cat=3014&auth=1>. Accessed June 6, 2013.
- BALL Ball TJ, Joy EA, Goh TL, Shaw JM, Hannon JC. Validity of Two Brief Physical Activity Self-Report Assessments Used in Primary Care. *Med Sci Sports Exerc.* 2011;43(5):605-606.
- BAM Bamps C, Kip KE, Dinga A, Mulukutla SR, Aiyer AN, Reis SE. Low prevalence of "ideal cardiovascular health" in a community-based population: the heart strategies concentrating on risk evaluation (Heart SCORE) study. *Circulation.* 2011;123(8):850-857.
- BAN Bandura A. *Self-Efficacy: The Exercise of Control.* 1st ed. New York, NY: Worth Publishers; 1997.
- BER Bergmann MM, Schutze M, Steffen A, et al. The association of lifetime alcohol use with measures of abdominal and general adiposity in a large-scale European cohort. *Eur J Clin Nutr.* 2011;65(10):1079-1087.
- BLA Blair SN. Physical inactivity: the biggest public health problem of the 21st century. *Br J Sports Med.* 2009;43(1):1-2.
- BIZ Carey J. Do cholesterol drugs do any good? *Business Week.* January 16, 2008. <http://www.businessweek.com/stories/2008-01-16/do-cholesterol-drugs-do-any-good>. Accessed June 6, 2013.
- BRE Breslow RA, Chen CM, Graubard BI, Jacobovits T, Kant AK. Diets of drinkers on drinking and nondrinking days: NHANES 2003–2008. *Am J Clin Nutr.* 2013;97(5):1068-1075.
- BUC Buchwald H, Avidor Y, Braunwald E, et al. Bariatric surgery: a systematic review and meta-analysis. *JAMA.* 2004;292(14):1724-1737.
- CAR Carroll JK, Antognoli E, Flocke SA. Evaluation of physical activity counseling in primary care using direct observation of the 5As. *Ann Fam Med.* 2011;9(5):416-422.
- CAP Caprio S. Calories from soft drinks--do they matter? *N Engl J Med.* 2012;367(15):1462-1463. doi: 10.1056/NEJMMe1209884.
- CDC1 Assessing your weight. Centers for Disease Control and Prevention. www.cdc.gov/healthyweight/assessing. Accessed June 6, 2013.
- CDC2 Facts about physical activity. Centers for Disease Control and Prevention. <http://www.cdc.gov/physicalactivity/data/facts.html>. Accessed June 6, 2013.
- CDC3 Tobacco-related mortality. Centers for Disease Control and Prevention. http://www.cdc.gov/tobacco/data_statistics/fact_sheets/health_effects/tobacco_related_mortality/#cigs. Accessed June 6, 2013.
- CHR Christakis NA, Fowler JH. The spread of obesity in a largeariat social network over 32 years. *N Engl J Med.* 2007;357(4):370-379.
- CHU Church TS, LaMonte MJ, Barlow CE, Blair SN. Cardiorespiratory fitness and body mass index as predictors of cardiovascular disease mortality among men with diabetes. *Arch Int Med.* 2005;165(18):2114-2120.
- COLE Cole RE, Horacek T. Effectiveness of the "My Body Knows When" intuitive-eating pilot program. *Am J Health Behav.* 2010;34(3):286-297.
- COT Cotton MA, Ball C, Robinson P. Four simple questions can help screen for eating disorders. *J Gen Intern Med.* 2003;18(1):53-56.
- DGAC Dietary Guidelines Advisory Committee. 2010. Report of the Dietary Guidelines Advisory Committee on the Dietary Guidelines for Americans, 2010, to the Secretary of Agriculture and the Secretary of Health and Human Services. U.S. Department of Agriculture, Agricultural Research Service, Washington, DC. <http://www.cnpp.usda.gov/DGAs2010-DGACReport.htm>. Accessed May 16, 2013.
- DPP Hamman RF, Wing RR, Edelstein SL, et al. Effect of weight loss with lifestyle intervention on risk of diabetes. *Diabetes Care.* 2006;29(9):2102-2107.
- DUN1 Dunstan DW, Barr ELM, Healy GN, et al. Television viewing time and mortality: the Australian diabetes, obesity and lifestyle study (AusDiab). *Circulation.* 2010;121(3):384-391.
- DUN2 Dunstan DW, Kingwell BA, Larsen R, et al. Breaking up prolonged sitting reduces postprandial glucose and insulin responses. *Diabetes Care.* 2012;35(5):976-983.
- EIM Exercise is Medicine Web site. <http://www.exerciseismedicine.org>. Accessed June 6, 2013.
- FAV Fava M. Weight gain and antidepressants. *J Clin Psychiatry.* 2000;61 Suppl 11:37-41.
- FIN Finkelstein EA, Brown DS. Return on investment for bariatric surgery. *Am J Manag Care.* 2008;14(9):561-562.
- GEO George ES, Rosenkranz RR, Kolt GS. Chronic disease and sitting time in middle-aged Australian males: findings from the 45 and Up Study. *Int J Behav Nutr Phys Act.* 2013;10:20.
- GOR Gorin A, Phelan S, Tate D, Sherwood N, Jeffery R, Wing R. Involving support partners in obesity treatment. *J Consult Clin Psychol.* 2005;73(2):341-343.
- GRE Greenwood JL, Joy EA, Stanford JB. The Physical Activity Vital Sign: a primary care tool to guide counseling for obesity. *J Phys Act Health.* 2010;7(5):571-576.
- HAM Hammons AJ, Fiese BH. Is frequency of shared family meals related to the nutritional health of children and adolescents? *Pediatrics.* 2011;127(6):e1565-e1574.
- HAS Haskell WL, Lee IM, Pate RR, et al. Physical activity and public health: updated recommendation for adults from the American College of Sports Medicine and the American Heart Association. *Med Sci Sports Exerc.* 2007;39(8):1423-1434.
- HAV Havel PJ. Role of adipose tissue in body-weight regulation: mechanisms regulating leptin production and energy balance. *Proc Nutr Soc.* 2000;59(3):359-371.
- HCG1 National Prevention, Health Promotion and Public Health Council. National Prevention Strategy: Mental and Emotional Well-being. Available at <http://www.healthcare.gov/prevention/nphphc/strategy/mental-emotional-well-being.pdf>.
- HHS1 US Department of Health and Human Services (HHS). 2008 Physical Activity Guidelines for Americans. Available at <http://www.health.gov/paguidelines/guidelines/default.aspx>.
- ICSI Institute for Clinical Systems Improvement (ICSI). Prevention and management of obesity (mature adolescents and adults). 5th ed., 2011. Available at: http://www.icsi.org/obesity/obesity_3398.html.
- IOM Colten HR, Altevogt BM. Sleep disorders and sleep deprivation: an unmet public health problem. Washington (DC): Institute of Medicine; 2006. http://books.nap.edu/openbook.php?record_id=11617. Accessed June 6, 2013.

Reference List: Weight & Lifestyle Management Care Process Model (CPM)

- JAY Jay M, Gillespie C, Schlaire S, Sherman S, Kalet A. Physicians' use of the 5As in counseling obese patients: is the quality of counseling associated with patients' motivation and intention to lose weight? *BMC Health Serv Res.* 2010;10:159.
- KIE Kiernan M, Moore SD, Schoffman DE, et al. Social support for healthy behaviors: scale psychometrics and prediction of weight loss among women in a behavioral program. *Obesity (Silver Spring).* 2012;20(4):756-764.
- KIS Kissileff HR, Thornton JC, Torres MI, et al. Leptin reverses declines in satiation in weight-reduced obese humans. *Am J Clin Nutr.* 2012;95(2):309-317.
- KON König D, Deibert P, Frey I, Landmann U, Berg A. Effect of meal replacement on metabolic risk factors in overweight and obese subjects. *Ann Nutr Metab.* 2008;52(1):74-78.
- KUS Kushner RF. *Roadmaps for clinical practice: case studies in disease prevention and health promotion—assessment and management of adult obesity: a primer for physicians.* Chicago, ILL: American Medical Association; 2003.
- LAD Laddu D, Dow C, Hingle M, Thomson C, Going S. A review of evidence-based strategies to treat obesity in adults. *Nutr Clin Pract.* 2011;26(5):512-525.
- LEE Lee IM, Shiroma EJ, Lobelo F, et al; Lancet Physical Activity Series Working Group. Effect of physical inactivity on major non-communicable diseases worldwide: an analysis of burden of disease and life expectancy. *Lancet.* 2012;380(9838):219-229.
- LES Leslie WS, Hankey CR, Lean ME. Weight gain as an adverse effect of some commonly prescribed drugs: a systematic review. *QJM.* 2007;100(7):395-404.
- LOB Lobelo F, Duperly J, Frank E. Physical activity habits of doctors and medical students influence their counselling practices. *Br J Sports Med.* 2009;43(2):89-92.
- MAC Mackert M, Stanforth D, Garcia AA. Undermining of nutrition and exercise decisions: experiencing negative social influence. *Public Health Nurs.* 2011;28(5):402-410.
- MAR Marshall AL, Smith BJ, Bauman AE, Kaur S. Reliability and validity of a brief physical activity assessment for use by family doctors. *Br J Sports Med.* 2005;39(5):294-297.
- MAT Matthews CE, George SM, Moore SC, et al. Amount of time spent in sedentary behaviors and cause-specific mortality in US adults. *Am J Clin Nutr.* 2012;95(2):437-445.
- MBS American Society for Metabolic & Bariatric Surgery. Guidelines and Position Statements. Available at <http://asmbs.org/guidelines-statements/>.
- MEK Mekary RA, Giovannucci E, Willett WC, van Dam RM, Hu FB. Eating patterns and type 2 diabetes risk in men: breakfast omission, eating frequency, and snacking. *Am J Clin Nutr.* 2012;95(5):1182-1189.
- MOO Moore CJ, Cunningham SA. Social position, psychological stress, and obesity: a systematic review. *J Acad Nutr Diet.* 2012;112(4):518-526.
- NED Nedeltcheva AV, Kilkus JM, Imperial J, Schoeller DA, Penev PD. Insufficient sleep undermines dietary efforts to reduce adiposity. *Ann Intern Med.* 2010;153(7):435-441.
- NIH US National Library of Medicine, National Institutes of Health. Current medication information from the FDA. DailyMed website. dailymed.nlm.nih.gov. Accessed June 6, 2013.
- NSLF National Sleep Foundation. How much sleep do we really need? <http://www.sleepfoundation.org/article/how-sleep-works/how-much-sleep-do-we-really-need>. Accessed June 6, 2013.
- NWCR The National Weight Control Registry. <http://www.nwcr.ws/Research/default.htm>. Accessed June 6, 2013.
- ORR Orrow G, Kinmonth AL, Sanderson S, Sutton S. Effectiveness of physical activity promotion based in primary care: systematic review and meta-analysis of randomised controlled trials. *BMJ.* 2012;344:e1389.
- OWE Owen N, Healy GN, Matthews CE, Dunstan DW. Too much sitting: the population health science of sedentary behavior. *Exerc Sport Sci Rev.* 2010;38(3):105-113.
- OWO Owolabi T, Simpson I. Documenting and coding preventive visits: a physician's perspective. *Fam Pract Manag.* 2012;19(4):12-16.
- PATE Pate RR, O'Neill JR, Lobelo F. The evolving definition of "sedentary." *Exerc Sport Sci Rev.* 2008;36(4):173-178.
- POD Poddar K, Kolge S, Bezman L, Mullin GE, Cheskin LJ. Nutraceutical supplements for weight loss: a systematic review. *Nutr Clin Pract.* 2011;26(5):539-552.
- ROS Rosenbaum M, Kissileff HR, Mayer LE, Hirsch J, Leibel RL. Energy intake in weight-reduced humans. *Brain Res.* 2010;1350:95-102.
- SCHL Schlaire S, Moore S, McMacken, Jay M. How to deliver high-quality obesity counseling in primary care using the 5As framework. *J Clin Outcomes Manag.* 2012;19(5):221-229.
- SCHO Schoenborn CA, Stommel M. Adherence to the 2008 adult physical activity guidelines and mortality risk. *Am J Prev Med.* 2011;40(5):514-521.
- SCI Sciamanna CN, Kiernan M, Rolls BJ, et al. Practices associated with weight loss versus weight-loss maintenance results of a national survey. *Am J Prev Med.* 2011;41(2):159-166.
- SMI Smith BJ, Marshall AL, Huang N. Screening for physical activity in family practice: evaluation of two brief assessment tools. *Am J Prev Med.* 2005;29(4):256-264.
- SUM Sumithran P, Prendergast LA, Delbridge E, et al. Long-term persistence of hormonal adaptations to weight loss. *N Engl J Med.* 2011;365(17):1597-1604.
- USDA1 US Department of Health and Human Services (HHS) and Department of Agriculture (USDA). Dietary Guidelines for Americans 2010. <http://www.cnpp.usda.gov/Publications/DietaryGuidelines/2010/PolicyDoc/PolicyDoc.pdf>. Published December 2010. Accessed June 6, 2013.
- USDA2 USDA Food and Nutrition Information Center. Interactive DRI for healthcare professionals. <http://fnic.nal.usda.gov/fnic/interactiveDRI/>. Accessed June 6, 2013.
- USPS U.S. Preventive Services Task Force. Screening for and management of obesity in adults: U.S. Preventive Services Task Force Recommendation Statement. *Ann Intern Med.* 2012;157:373-378. <http://www.uspreventiveservicestaskforce.org/uspstf/uspsobes.htm>. Accessed June 6, 2013
- VAN van der Ploeg H, Chey T, Korda R, Banks E, Bauman A. Sitting time and all-cause mortality risk in 222 497 Australian adults. *Arch Intern Med.* 2012;172(6):494-500.
- VEE Veerman JL, Healy GN, Cobiac LJ, et al. Television viewing time and reduced life expectancy: a life table analysis. *Br J Sports Med.* 2012;46(13):927-930.
- WAD Wadden TA, West DS, Neiberg RH, et al; Look AHEAD Research Group. One-year weight losses in the Look AHEAD study: factors associated with success. *Obesity (Silver Spring).* 2009;17(4):713-722.
- WAD2 Wadden TA. Treatment of obesity by moderate and severe caloric restriction. Results of clinical research trials. *Ann Intern Med.* 1993;119(7 Pt 2):688-693.
- WAR Wardle J, Chida Y, Gibson EL, Whitaker KL, Steptoe A. Stress and adiposity: a meta-analysis of longitudinal studies. *Obesity (Silver Spring).* 2011;19(4):771-778.
- WHO World Health Organization. Global health risks: mortality and burden of disease attributable to selected major risks. http://www.who.int/healthinfo/global_burden_disease/GlobalHealthRisks_report_full.pdf. Published 2009. Accessed June 6, 2013.
- WNG1 Wing RR, Phelan S. Long-term weight loss maintenance. *Am J Clin Nutr.* 2005;82(1 Suppl):222S-225S.
- WNG2 Wing RR, Hill JO. Successful weight loss maintenance. *Annu Rev Nutr.* 2001;21:323-241.
- ZIM Zimmerman GL, Olsen CG, Bosworth DO. A 'stages of change' approach to helping patients change behavior. *Am Fam Physician.* 2000;61(5):1409-1416.