

Pain management workbook

Learning techniques to help you manage pain





Pain management workbook

Learning techniques to help you manage pain

Contents

Pain management

Pain assessment tool

Breathing techniques

Imagery techniques

Thought-replacement techniques

Counterstimulation techniques: Using sensory distraction

Progressive muscle relaxation

Pain management techniques for special needs children

Pain management

Pain management

Learning to control pain both in the hospital and at home helps you recover faster and get back to doing the activities you love.

This book explains different relaxation strategies to help your body manage pain and get rid of painrelated stress. When managing pain, it helps to know the difference between the two types:

• Nociceptive (no-siss-SEP-tiv) pain is most common and comes from an injury (or perceived injury) to the body, like cuts, burns, fractures, and muscle pain. It is often described as an aching or throbbing pain.



• Neuropathic (noo-row-PATH-ick) pain comes from the nerves or nervous system and is often described as a burning or numbing pain.


Your doctor may prescribe medicine to help relieve your specific type of pain. You can also control pain in other ways, including:

- Cold or heat
- Relaxation
- Music
- Games
- Art projects
- Sensory toys and activities
- Distraction
- Talking

These exercises may help whether you're taking medicine, it's not time for your next dose, or the medicine isn't enough. To get the best results:

- Follow the directions closely when doing the exercises, even if they seem kind of silly.
- Practice regularly so you get used to the strategies and become more relaxed.
- Pay attention to your body's temperature, muscles, and mind, which feel different when they are tight instead of loose and relaxed.
- Try these strategies at the hospital, at home, or at school, both alone or with someone else.

The scale on the next page can help you assess your pain before and after doing anything to reduce it.



-		

Notes

Let's Talk About ...

Breathing techniques

Learning breathing techniques can help you relax and relieve anxiety. It can also help you strengthen your lungs and make it easier to breathe. This is helpful if you have lung problems like asthma, cystic fibrosis, bronchitis, and pneumonia. These techniques include: diaphragmatic (belly) breathing, focused breathing, paced breathing, and square breathing.

What is diaphragmatic breathing?

Diaphragmatic breathing is a technique that strengthens the diaphragm, a large muscle at the base of the lungs, while deeply breathing. You will learn to use the diaphragm instead of the upper chest muscles. Diaphragmatic breathing can help you relax, breathe more easily, and strengthen your diaphragm.

Diaphragmatic breathing does not take the place of medicines or other treatments, but it can help you breathe more easily in certain situations.

How do I practice diaphragmatic breathing?

- Relax your neck and shoulder muscles.
- Get in a comfortable position by lying down or sitting.
- Place one hand on your upper chest and the other hand just above your waistline to feel the diaphragm move.
- Take a normal breath in through your nose and feel the hand on your stomach move outward. The hand on your chest should not move.
- Breathe out slowly and gently through your mouth with pursed lips, as if you were going to whistle. Let the hand on your stomach move inward as you breathe out.
- Exhale at least twice as long as you inhale. For example, count to 2 as you take air in. Then count to 4 as you breathe out.

What is focused breathing?

Focused breathing is a technique that helps you focus only on your breaths in and out. It can help when you're feeling stressed or anxious. You can also practice focused breathing during meditation or while imagining a new scene (imagery).



How do I practice focused breathing?

- Sit or lie down.
- Put your hands on your stomach or chest. Notice how your hands rise and fall as you breathe in and out. (If you are lying down, you might notice that your hands rise more on your belly than on your chest.)
- Breathe in through your nose like you are smelling a flower. Notice how your breath feels in your chest and belly.
- Breathe out like you are blowing out birthday candles.
- Each time you breathe out, notice that your body relaxes a little more. Repeat the exercises for 5-10 minutes.

What is paced breathing?


Paced breathing is a technique that helps you take slow, deep breaths using your diaphragm. It can help you relax when you're anxious and give them a sense of control. You can visualize paced breathing as slowly blowing bubbles, because it requires the same type of breathing.

How do I practice paced breathing?

- Sit or lie down in a comfortable, quiet space.
- Set a timer for 5–10 minutes.
- Close your eyes and listen to the sound of a clock, metronome, or other repetitive sound.
- Think about how you breathe in and breathe out.
- Notice the pattern your breathing has with the sound you are listening to.
- Let yourself focus on the pattern as you continue to breathe in and out.

What is square breathing?

Square breathing is a way to control your breathing through counts of 4. It can help you calm down and relieve stress. You can also use square breathing with



meditation by visualizing a four-sided object, like a window or picture frame.

How do I practice square breathing?

- Sit or lie down.
- Breathe in like you're smelling a flower while counting to 4.
- Hold your breath while counting to 4.
- Breathe out like you're blowing bubbles while counting to 4.
- Pause for 4 counts.
- As you breathe, draw a square in the air with your finger, beginning in the lower left corner.
- Repeat for 5–10 minutes.

How can I make breathing techniques easier?

The following tips can help you make breathing techniques easier:

- Practice when you aren't stressed or in a lot of pain.
- Do the exercises daily for about 5–10 minutes at a time.
- Find a quiet place where you can sit or lie down comfortably with your eyes closed.
- Practice at least one of the techniques while lying down on your bed before falling asleep.

Notes

Intermountain Healthcare complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. Se proveen servicios de interpretación gratis. Hable con un empleado para solicitarlo. 我們將根據您的需求提供免費的口譯服務。請找尋工作人員協助



6

© 2018 Intermountain Healthcare, Primary Children's Hospital. All rights reserved. The content presented here is for your information only. It is not a substitute for professional medical advice, and it should not be used to diagnose or treat a health problem or disease. Please consult your healthcare provider if you have any questions or concerns. More health information is available at intermountainhealthcare.org. Pediatric Education, Practice, and Research 801.662.3500 LTA001 - 05/18 Available in Spanish.



Let's Talk About ...

Imagery techniques

You can use imagery to imagine you're somewhere else. Just by imagining a relaxing place or thinking relaxing thoughts, you can reduce pain and feel less stress.

How do I pick the right imagery?

Everyone is different and finds different scenes calming. To create imagery that will help you relax:


- Consider your interests. Do you prefer to be outside or inside? Are you social and active? Do you like to be alone?
- Think about your favorite place. Visualizing a vacation spot or even a cozy space in your home can help you relax. Make sure this is a safe, comfortable place.
- Decide whether to include action. If you have a sensory processing disorder, you may find an active scene where you're playing sports or running more calming. This scene may also make you excited instead of relaxed. Decide what works best for you.
- **Include all five senses.** Effective imagery helps you see, hear, feel, smell, and taste different things while you imagine a scene.
- Read the scene or have someone help you memorize it. It may be helpful to read the scene each time, or you can try to remember everything when you close your eyes after reading it a few times. You can also record yourself or a parent reading the scene and play it back when you need to relax.

What are some imagery examples I can use?

You may find one of the following imagery examples helpful. You can also create your own relaxing scene on the next page.

Beach scene

You are lying back in a chair on the shore of a beautiful beach. You can hear the waves crashing against the shore, the sound of seagulls flying, and people splashing in the water. You feel the sand beneath your feet, the warmth of the sun, and a slight breeze brushing gently against your skin. When you look around, you see white, glistening sand stretching for miles in either direction. You see an endless blue sky over the blue-green ocean. You take in a deep breath and smell the salt in the air. You can even taste the salt in the air. You lie there with your eyes closed and take in the warmth of the sun and the sounds of the ocean. You feel relaxed and comfortable.





Mountain scene

You are sitting on the porch of a log cabin near the mountains. When you look around, you can see snow cresting the peaks, tall green trees, and a few deer grazing in the meadow. You feel a cool breeze ruffling your hair and smooth boards beneath your feet. You smell lavender, sage, and pine trees as you take a deep breath. You can hear a stream trickling nearby and the gentle creak of your chair on the porch. You taste warm homemade bread and take a sip of rich hot chocolate. Everything around you is peaceful and quiet.

Baseball scene

You are in the middle of a baseball game. You can hear your friends cheering your name as you take sthe bat and step up to home plate. When you look around, you see the bleachers packed with people and the glowing scoreboard that shows both teams are tied. You smell corndogs, popcorn, and freshly cut grass and feel the weight of the bat in your hands. You see the pitcher blowing a bubble with their chewing gum and throwing the ball. As if in slow motion, you feel your bat connect with the baseball and hear a loud TING as the ball flies over the field. You drop the bat and run to first base, then second, tasting a bit of dirt in your mouth as you dash to third base. You sprint to home base just as the pitcher throws the baseball to the catcher. You're safe — and your home run just won the game!

Creating imagery

In the space below, create a relaxing scene with as much detail as possible.
Where are you? Is it warm or cool? Sunny or cloudy Calm or windy? Day or night?

Describe what you're doing. Are you alone or with
others? Are you moving quickly or slowly?

Describe all	the things	you see.	

Describe all the things you hear.

__9

Describe all the things you taste.	Describe all the things you feel.
Notes	



© 2018 Intermountain Healthcare, Primary Children's Hospital. All rights reserved. The content presented here is for your Intermountain
Primary Children's Hospital

The Child First and Always*

Intermountain
The Child First and Always*

The Child First and Always*

The Child First and Always*

Intermountain Healthcare, Frimary Children's Hospital

The Child First and Always*

The Child First and Always*

Intermountain Healthcare, Frimary Children's Hospital

Information only. It is not a substitute for professional medical advice, and it should not be used to diagnose or treat a health problem

or disease. Please consult your healthcare provider if you have any questions or concerns. More health information is available at

intermountainhealthcare.org. Pediatric Education, Practice, and Research 801.662.3500 LTA030 – 05/18 Available in Spar intermountainhealthcare.org. Pediatric Education, Practice, and Research 801.662.3500 LTA030 – 05/18 Available in Spanish.

Let's Talk About...

Thought-replacement techniques

Thought-replacement is a series of techniques that help you replace negative or anxious thoughts with positive ones. By practicing thought-replacement techniques, you can change the way you think and begin to feel better.

What thought-replacement techniques can I use?

One thought-replacement technique that may help is called "Changing the channel in your brain." It uses thought-stopping and replacement thoughts to help you feel better.

When a TV show you don't like comes on, do you have to keep watching it? No, you can switch to a show you like better. The thoughts in your brain are like that too. When you get stuck on a bad thought — "This hurts so much. It's never going to go away, and I can't deal with this." — you have the power to switch to a helpful thought. It takes practice, but you can do it.

You can also create a positive statement to repeat to yourself when a bad thought comes to mind. You might say:

- "I can handle this."
- "I can do hard things."
- "I have coped with this before."



How do I practice thought-replacement?

- Sit or lie down in a quiet place and close your eyes.
- Notice when you have a thought that worries or upsets you or makes you feel worse. When you catch one, tell yourself, "That's a bad thought."
- · After you've caught your bad thought, imagine yourself using a remote to change to a positive thought.
- Think about the thought you want to watch in your mind. Picture a good memory that makes you laugh or feel proud or happy. Build all the details so it feels like you're really there. Or think of something in the future you're looking forward to. Picture what it will look or feel like when you're doing that thing. Focus on all the details, like you're making a movie in your mind.
- Let your body relax as you focus on the new thought.
- Practice changing to a new thought in your brain whenever you catch your mind thinking unhelpful thoughts. Have a few different "shows" or memories you enjoy so you always have something good to switch over to when you need it.

lotes			

Intermountain Healthcare complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. Se proveen servicios de interpretación gratis. Hable con un empleado para solicitarlo. 我們將根據您的需求提供免費的口譯服務。請找尋工作人員協助



© 2018 Intermountain Healthcare, Primary Children's Hospital. All rights reserved. The content presented here is for your information only. It is not a substitute for professional medical advice, and it should not be used to diagnose or treat a health problem or disease. Please consult your healthcare provider if you have any questions or concerns. More health information is available at intermountainhealthcare.org. Pediatric Education, Practice, and Research 801.662.3500 LTA039 – 05/18 Available in Spanish.

Let's Talk About ...

Counterstimulation techniques: Using sensory distraction

Counterstimulation is a way of distracting the brain when it is sending pain or stress signals. To do this, you block these signals by sending another loud signal to the brain using one of the 5 senses (touch, sight, sound, smell, and taste).

How can I use counterstimulation?

To create counterstimulation signals:

- Set a timer for 3–5 minutes
- Practice the signals several times a day
- Close your eyes

What are some examples of counterstimulation techniques?

Touch

Focus on how your skin feels, using temperature or pressure.

- Apply ice or heat packs.
- Use heavy objects like a weighted blanket.
- Play with something sticky or messy, like clay or dough.
- Massage or push a pressure point with your fingers.
- Rub your hands together until you can feel heat.

Sight

Focus on a single object you can see, using color or texture.

- Look at a picture book or photo.
- Get a fish tank or lava lamp.
- Watch your pets play.
- Point out anything outdoors (ocean, trees, sky, mountains).



Sound

Focus on a single sound or many sounds.

- Play music or listen to live instruments or playlists.
- Listen to the sounds around you.
- Use a fan, furnace, or vacuum for background noises.
- Turn on a clock, metronome, or other paced sound.

Smell

Focus on a smell and breathe it in.

- Smell citrus fruits, like lemons or oranges.
- Use essential oil concentrates (peppermint, eucalyptus, cinnamon, and lavender).

Taste

Focus on a taste and feel it on your tongue.

- Suck on hard candies or mints (butterscotch, peppermint, or cinnamon).
- Let chocolate melt on your tongue.
- Try frozen or cold fruit, ice water, or ice cream.
- Eat tart or sour foods like lemons, limes, and apples.



Notes					
• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • •	• • • • • • • • • • • • • • •	

Intermountain Healthcare complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. Se proveen servicios de interpretación gratis. Hable con un empleado para solicitarlo. 我們將根據您的需求提供免費的口譯服務。請找尋工作人員協助



© 2018 Intermountain Healthcare, Primary Children's Hospital. All rights reserved. The content presented here is for your information only. It is not a substitute for professional medical advice, and it should not be used to diagnose or treat a health problem or disease. Please consult your healthcare provider if you have any questions or concerns. More health information is available at intermountainhealthcare.org. Pediatric Education, Practice, and Research 801.662.3500 LTA043 – 05/18 Available in Spanish.

Let's Talk About...

Progressive muscle relaxation

Relaxing muscles can help you relieve stress and tension, manage pain, and even sleep better. To prepare for muscle relaxation exercises:

- Make sure you have at least 15 minutes to practice so you don't feel rushed.
- Sit or lie down comfortably.
- Find a quiet place where no one will disturb you.
- Choose a time when you're calm so it's easier to practice. You can do the exercises anytime, not just when you feel stressed.
- Be ready to try each exercise for 10 seconds and then relax for 20 seconds.
- Think about tightening your muscles and relaxing them if it's too uncomfortable to tighten them.

Muscle relaxation exercises for kids 2–10 years old

- Hands and arms: Pretend you are squeezing a whole lemon in your left hand. Squeeze it hard. Try to squeeze all the juice out. Feel the tightness in your hand and arm as you squeeze. Now drop the lemon and relax. See how much better your hand and arm feel when they are relaxed. Repeat with the other hand.
- Arms and shoulders: Pretend you are a lazy kitten who wants to stretch. Stretch your arms way out in front of you. Raise them up as high as you can over your head and lean way back. Feel the stretch in your arms and shoulders. Now really stretch, as far as you can. Now, let your arms fall down to your sides. Now start the stretch again.
- **Shoulders and neck:** Pretend you are a turtle, sitting in the sun. It's nice and warm and quiet. Uhoh. You hear something. You'd better pull your head

- into your shell just to be safe. Pull your shoulders way up to your ears, and push your head down to your chest. Stay in your shell, nice and snug. Now stretch back out into the relaxing sunlight. Pretend you hear another noise, and practice getting back into your shell again.
- Jaw: You have a huge piece of bubble gum in your mouth, and it's really hard to chew. Bite down on it hard! Let your neck muscles help you. Now just relax and let your mouth hang loose. Notice how good it feels to just let your mouth drop. Now take another bite. Repeat.
- Face and nose: Here comes a pesky fly, landing right on your nose. Try to get him off without



- using your hands. Wrinkle up your nose. Make as many wrinkles as you can. Scrunch your nose right up. Good, he is going away! You can relax your nose. Oops, he is coming back again. Repeat.
- Stomach: Hey! Here comes a cute baby elephant. He's not watching where he is going. He doesn't see you relaxing there, and he's going to step on your stomach. Don't move, just get ready for him. Make your stomach very hard. Tighten up your belly really, really tight. Hold it. Whew! Looks like he missed you, so you can let your belly relax now. Make it really soft. That feels so much better. Get ready, here he comes again! Repeat.
- Legs and feet: Pretend you are barefoot and your feet are in a big, fat, pot of mud. Squish your toes down deep in the mud. Try to stretch your feet all the way to the bottom of the bucket. Spread out your toes and feel the mud squish between them. Really stretch! Now just let them relax, and let your toes go loose. Feel how nice that is. Now let's try again. Repeat.

Muscle relaxation exercises for kids 11–18 years old

Read and do the following muscle relaxation exercises. Tighten (or think about tightening) muscles for 10 seconds and then relax for 20 seconds before repeating or going to the next exercise.

- **Upper and lower arms:** Bring both arms to your shoulders, as if making a muscle. Make a fist with each hand.
- Legs and thighs: Straighten your legs and raise your feet off the ground. Point your toes towards your knees, tensing the muscles in your calves and thighs.
- **Shoulders:** Push your shoulders up towards your ears, as if shrugging your shoulders.

- Neck: Press your head tightly backward against the chair, couch, or bed. You might also try rolling your head around on your neck slowly in one direction and then the next direction. Pay attention to any tension in either direction.
- **Lips:** Press your lips together tightly, as if you've just put lip balm on. You might also try puckering your lips, like a kiss.
- Jaw: Clench your teeth (not too tightly) or open your mouth wide.
- **Eyes:** Close your eyes somewhat tightly, but do not squeeze them shut.
- **Forehead**: Raise your eyebrows upward so your forehead wrinkles.

Repeat the exercise for each muscle group at least once. You can repeat the exercises several times for muscles that are harder to relax.

How can I make muscle relaxation exercises easier?

The following tips can make it easier to do muscle relaxation exercises:

- Practice several times a day or at night before falling asleep. The exercises will become easier with time.
- Try the exercises when you're feeling OK. You may begin doing the exercises automatically after a while when you're stressed or feeling pain.
- Let go of tension, relax, or unwind when you're relaxing muscles for 20 seconds. You can also visualize your muscles as warm or heavy.

Notes

Intermountain Healthcare complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. Se proveen servicios de interpretación gratis. Hable con un empleado para solicitarlo. 我們將根據您的需求提供免費的口譯服務。請找尋工作人員協助



© 2018 Intermountain Healthcare, Primary Children's Hospital. All rights reserved. The content presented here is for your information only. It is not a substitute for professional medical advice, and it should not be used to diagnose or treat a health problem or disease. Please consult your healthcare provider if you have any questions or concerns. More health information is available at intermountainhealthcare.org. Pediatric Education, Practice, and Research 801.662.3500 LTA044 – 05/18 Available in Spanish.



Let's Talk About...

Pain management techniques for special needs children

Children with special needs feel pain just as other children do. However, they may not be able to tell you when they are in pain, and it can be hard to tell what is causing their pain. The following suggestions can help you identify your child's pain and help them manage it.

How can I tell if my child is in pain?

Since your child may not be able to tell you they are in pain or even make facial expressions or noises, it's important to watch for problems that may cause pain. To do this, you may:

- Take your child to the doctor regularly to make sure they don't have constipation, urinary infections, feeding issues, muscle spasticity, breathing problems, bone and joint pain, or seizures
- Check shunts, pumps, trach tubes, G-tubes, or other implants daily to make sure they're working right and aren't infected
- Look at their skin carefully for pressure sores, rashes, or infections
- Make sure braces, wheelchairs, car seats, bath chairs, standing frames, and gait trainers fit and work as they should
- Notice pain, swelling, or bruising around the leg and arm bones and ribs (special needs children are at risk for vitamin deficiencies and brittle bones)
- Check your child's body carefully right after they fall to make sure there are no fractures
- Keep a journal of your child's symptoms, including fever, diarrhea, constipation, vomiting, trouble eating, and insomnia, and notice what they were doing when symptoms happened

 Record all medicine and treatments your child has and notice any symptoms related to them



Trust your intuition. If you feel something isn't right or you can't manage your child's pain, call their healthcare provider.

What are some ways to help my child manage pain without medicine?

Although your child's healthcare provider will prescribe medicine, the following suggestions can help your child manage their pain when it's not time for medicine or the medicine isn't enough:

- Liquid timers (toys filled with water and colored liquid that drip down when you flip them over)
- Stress balls

- Pinwheels or party blowers (these also help with breathing techniques)
- Meditation and imagery audio exercises
- Finger painting
- Painting with watercolors
- Doodling or coloring
- Sensory bottles (homemade)
- · Low lights in their hospital room or at home
- Relaxing music
- Aromatherapy

Talk to a child life specialist for more ideas, especially when you take your child home from the hospital.



How can I be more understanding with my child?

It can be frustrating when you don't know what's causing your child's pain or the best way to treat it. These suggestions can help you be more understanding:

- Be patient with your child and their healthcare providers
- Remember that it may take longer to find out what's causing your child's pain and treat it, but it isn't impossible
- Write down helpful and less-helpful treatments (including side effects) so you can help healthcare providers find the best option for your child.



Notes			

Intermountain Healthcare complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. Se proveen servicios de interpretación gratis. Hable con un empleado para solicitarlo. 我們將根據您的需求提供免費的口譯服務。請找尋工作人員協助



© 2018 Intermountain Healthcare, Primary Children's Hospital. All rights reserved. The content presented here is for your information only. It is not a substitute for professional medical advice, and it should not be used to diagnose or treat a health problem or disease. Please consult your healthcare provider if you have any questions or concerns. More health information is available at intermountainhealthcare.org. Pediatric Education, Practice, and Research 801.662.3500 LTA032 – 05/18 Available in Spanish.



The Child First and Always®

Intermountain Healthcare complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. Se proveen servicios de interpretación gratis. Hable con un empleado para solicitarlo. 我們將根據您的需求提供免費的口譯服務。請找尋工作人員協助